

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S257	2416	(print\$5 with preview\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 17:34
S258	5	S257 and ((mirror\$5 or inver\$5 or rever\$6) with bind\$4 with margin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 17:38
S261	1	S260 and ((mirror\$5 or inver\$5 or rever\$6) same margin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 17:37
S262	115	print\$5 and ((mirror\$5 or inver\$5 or rever\$6) same ( bind\$4 with margin))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 17:38
S263	21	print\$5 and ((mirror\$5 or inver\$5 or rever\$6) same ((maintain\$5 or keep\$5 or chang\$5 or unchang\$5 or intact or "same") with ( bind\$4 with margin)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 17:44
S264	23	((mirror\$5 or inver\$5 or rever\$6) with ((maintain\$5 or keep\$5 or chang\$5 or unchang\$5 or intact or "same") with ( bind\$4 with margin)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 17:45
S265	5	S264 and (print\$5 near2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 17:46
S266	531	((mirror\$5 or inver\$5 or rever\$6) with ((maintain\$5 or keep\$5 or chang\$5 or unchang\$5 or intact or "same") with (margin)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 17:54
S267	18	S266 and (print\$5 near2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 17:46
S268	4	S267 and ((mirror\$5 or inver\$5 or rever\$6) with (setting or option or mode))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 17:51

S27 3	50	((mirror\$5 or inver\$5 or rever\$6) with print\$5 near3 data) and ((maintain\$5 or keep\$5 or chang\$5 or unchang\$5 or intact or "same") with (margin))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 17:54
S27 4	84	((mirror\$5 or inver\$5 or rever\$6 or rotat\$5) with print\$5 near3 data) and ((maintain\$5 or keep\$5 or chang\$5 or unchang\$5 or intact or "same") with (margin))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 17:55
S27 5	4	((mirror\$5 or inver\$5 or rever\$6 or rotat\$5) with print\$5 near3 data) same ((maintain\$5 or constant or keep\$5 or chang\$5 or unchang\$5 or intact or "same") with (margin))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 17:56
S27 6	112	((mirror\$5 or inver\$5 or rever\$6 or rotat\$5) with print\$5) same ((maintain\$5 or constant or keep\$5 or chang\$5 or unchang\$5 or intact or "same") with (margin))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 18:03
S27 7	0	S276 and preview\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 17:57
S27 8	0	S276 and pre-view\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 17:57
S27 9	16	S276 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 17:57
S28 0	8	((mirror\$5 or inver\$5 or rever\$6 or rotat\$5) with print\$5) same ((maintain\$5 or constant or keep\$5 or chang\$5 or unchang\$5 or intact or "same") with (bind\$5 near3 margin))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 18:00
S28 1	1	((print\$5 with preview\$5) same ((maintain\$5 or constant or keep\$5 or chang\$5 or unchang\$5 or intact or "same") with (bind\$5 near3 margin)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 18:00
S28 2	26	((mirror\$5 or inver\$5 or rever\$6 or rotat\$5) with print\$5) with (bind\$5 near3 margin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 18:04
S28 3	52	((mirror\$5 or inver\$5 or rever\$6 or rotat\$5) near3 (bind\$5 near3 margin))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 18:07

S28 4	3	S283 and (print\$5 with preview\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 18:05
S28 5	3	S283 and (preview\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 18:05
S28 6	13	S283 and (print\$5 adj2 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/19 18:05
S30 8	1	"6661530".pn. and ((preview\$5 with stor\$5) same inver\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 12:07
S31 0	1	"6661530" and (edit\$5 with stor\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 12:10
S31 1	1	"6661530" and (chang\$5 with stor\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 12:17
S31 2	2	"6661530" and (setting with application with driver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 12:19
S31 3	2	"6661530" and ((setting with application with driver) same (chang\$5 or updat\$5 or edit\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 12:19
S31 4	16	"5923013"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 13:37

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4330	(print\$5 with (inver\$5 or mirror\$5 or rotat\$5 or flip\$5) with (setting or mode or option ))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:24
L2	3	1 and ((bind\$5 near3 margin) with (setting or option or mode) with (select\$5 or choos\$5 or determin\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:21
L3	6	1 and ((bind\$5 near3 margin) with (select\$5 or choos\$5 or determin\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:24
L4	6530	(print\$5 same ( (inver\$5 or mirror\$5 or rotat\$5 or flip\$5) with (setting or mode or option )))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 16:39
L5	11	4 and ((bind\$5 near3 margin) with (select\$5 or choos\$5 or determin\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:30
L6	7	5 and (bind\$5 same (inver\$5 or mirror\$5 or rotat\$5 or flip\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:33
L7	1	"4763167".pn. and (bind\$5 same (inver\$5 or mirror\$5 or rotat\$5 or flip\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:58
L8	1	"4763167".pn. and (bind\$5 with (inver\$5 or mirror\$5 or rotat\$5 or flip\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:58
L9	2	(print\$5 same ( (inver\$5 or mirror\$5 or rotat\$5 or flip\$5) with (setting or mode or option )) same (bind\$5 adj2 margin))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 16:00
L10	10	(print\$5 same ( (inver\$5 or mirror\$5 or rotat\$5 or flip\$5) with (setting or mode or option )) same ((adjust\$5 or chang\$5 or updat\$5 or edit\$5 or alter\$5) with margin))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 16:03

L11	184	(print\$5 same ( (inver\$5 or mirror\$5 or rotat\$5 or flip\$5) with (setting or mode or option or function ))) and ((adjust\$5 or chang\$5 or updat\$5 or edit\$5 or alter\$5) with margin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 16:04
L12	12	11 and (bind\$5 adj2 margin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 16:04
L13	26	((print\$5 near2 setting) same ( (bind\$3 near3 margin) with (setting or mode or option )))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 16:52
L14	4	13 and ((inver\$5 or mirror\$5 or flip\$5) with (setting or mode or option))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 16:41
L15	8	("20010012126"   "4621319"   "5644682"   "5930524"   "6084685"   "6134017"   "6230211"   "6339477").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/20 16:43
L16	0	(15 and ( (bind\$3 near3 margin) with (setting or mode or option )))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 16:44
L17	0	(15 and ( (bind\$3 near3 margin) ))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 17:15
L18	59	((inver\$5 or rotat\$5 or flip\$5) with (bind\$3 near3 margin))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 17:14
L19	20	18 and ((adjust\$5 or chang\$5 or edit\$5 or alter\$5) near5 bind\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 17:01
L20	1	"5839033".pn. and (rotat\$5 same margin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 17:01
L21	1	"5839033".pn. and ((keep\$5 or maintain\$5 or chang\$5 or adjust\$5) near5 margin)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 17:02

L22	1	"5839033".pn. and ((keep\$5 or maintain\$5 or chang\$5 or adjust\$5) near5 margin) and (rotat\$5 or flip\$5 or inver\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 17:03
L23	1	"5839033".pn. and ((keep\$5 or maintain\$5 or chang\$5 or adjust\$5) near5 margin) and ((rotat\$5 or flip\$5 or inver\$5) with imag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 17:03
L24	68	((inver\$5 or rotat\$5 or flip\$5 or mirror\$5) with (bind\$3 near3 margin))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 17:15
L25	8	24 and (margin near5 (intact or chang\$5 or keep\$5 or maintain\$5 or unalter\$5 or unchang\$5 or chang\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 17:21
L26	4	24 and ((margin near5 (intact or chang\$5 or keep\$5 or maintain\$5 or unalter\$5 or unchang\$5 or chang\$5)) same (inver\$5 or rotat\$5 or flip\$5 or mirror\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 17:23
L27	25	((margin near5 (intact or chang\$5 or keep\$5 or maintain\$5 or unalter\$5 or unchang\$5 or chang\$5)) same ((inver\$5 or rotat\$5 or flip\$5 or mirror\$5) with imag\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 17:33
L28	49	((margin near5 (setting or mode)) same ((inver\$5 or rotat\$5 or flip\$5 or mirror\$5) with imag\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 17:31
L29	9	28 and (margin near5 (intact or chang\$5 or keep\$5 or maintain\$5 or unalter\$5 or unchang\$5 or chang\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 17:34